



TREBLE

MULTI-USE TABLES

bof.co.uk

High quality coffee, meeting and poseur tables that coordinate with activity based workspaces. Treble provides a simple and economical solution for the commercial environment.

bof[®]

Circular Tables



Coffee

Code	Top	H	W	D
RSE PBT-CTUR4 + ABO DIA60R	Circular	425	600	600



Poseur

Code	Top	H	W	D
RSE PBT-PTUR/4 + ABO DIA60R	Circular	1100	600	600

Standard



Code	Top	H	W	D
RSE PBT-DTUR/4 + ABO DIA60R	Circular	720	600	600
RSE PBT-DTUR + ABO DIA80R	Circular	720	800	800
RSE PBT-DTUR + ABO DIA10R	Circular	720	1000	1000
RSE PBT-DTURW + ABO DIA12R	Circular Weighted base	720	1200	1200

Key Features

- 3 Base options - circular, square and soft square
- 3 Heights - standard 720mm, poseur high 1100mm and coffee 425mm
- Robust steel base, epoxy powder coated in a choice of silver, black or white
- 25mm MFC worksurface
- Worksurfaces - BOF range
- Most popular detailed, please call us if you have a specific size request **01656 661061**

Square Base Tables



Coffee

Code	Top	H	W	D
RSE PBT-CTUS + ABO TRE-TOP6060	Square	425	600	600
RSE PBT-CTUS + ABO TRE-TOP8080	Square	425	800	800

Standard



Code	Top	H	W	D
RSE PBT-DTUS + ABO TRET-OP6060	Square	720	600	600
RSE PBT-DTUS + ABO TRE-TOP8080	Square	720	800	800
RSE PBT-DTUSW + ABO TRE-TOP1010	Square Weighted base	720	1000	1000
RSE PBT-DTUSW + ABO TRE-TOP1060	Rectangular Weighted base	720	1000	600

Poseur



Code	Top	H	W	D
RSE PBT-PTUS + ABO TRE-TOP6060	Square	1100	600	600

Soft Square Base Tables



Coffee

Code	Top	H	W	D
RSE PBT-CTUSQ/4 + ABO TRE-TOP6060	Square	425	600	600
RSE PBT-CTUSQ + ABO TRE-TOP8080	Square	425	800	800

Standard



Code	Top	H	W	D
RSE PBT-DTUSQ/4 + ABO TRE-TOP6060	Square	720	600	600
RSE PBT-DTUSQ + ABO TRE-TOP8080	Square	720	800	800
RSE PBT-DTUSQW + ABO TRE-TOP1010	Square Weighted base	720	1000	1000
RSE PBT-DTUSQW + ABO TRE-TOP1060	Rectangular Weighted base	720	1000	600

Poseur



Code	Top	H	W	D
RSE PBT-PTUSQ/4 + ABO TRE-TOP6060	Square	1100	600	600

TREBLE POWER



Circular standard height
with integrated Pixel

Code	Top	H	W	D
RSE PBT-CM-DTUR/4 + ABO DIA60R-P	Circular with pixel power	720	600	600
RSE PBT-CM-DTUR + ABO DIA80R-P	Circular with pixel power	720	800	800
RSE PBT-CM-DTUR + ABO DIA10R-P	Circular with pixel power	720	1000	1000



Square standard height
with integrated Pixel


Code	Top	H	W	D
RSE PBT-CM-DTUS + ABO TRE-TOP6060-P	Square with pixel power	720	600	600
RSE PBT-CM-DTUS + ABO TRE-TOP8080-P	Square with pixel power	720	800	800



Soft Square standard height
with integrated Pixel

Code	Top	H	W	D
RSE PBT-CM-DTUSQ/4 + ABO TRE-TOP6060-P	Square with pixel power	720	600	600
RSE PBT-CM-DTUSQ + ABO TRE-TOP8080-P	Square with pixel power	720	800	800

Standard
Pixel integrated
power includes a
UK fused socket
and twin USB




Key Features

- **A NEW addition to our HARMONY Product Collection**
- Cable managed base, 25mm MFC worksurface
- Pixel power unit is available in white, or black with a satin silver grommet ring
- Pixel below includes an UK fused socket and twin USB plus 2m length cable as standard
- Alternative power / data options available, please call us on **01656 661061**

Finishes

Worksurface - MFC



Optional - Edge Banding



Frame



Standard finishes above - email sales@bof.co.uk for project options.



Product | Business Certifications

- ISO 9001
- ISO 14001
- FSC
- FISP
- Club Green
- Construction Line Gold

Warranty

5 years

Maintenance

Worksurface - day-to-day cleaning, wipe with a clean, dry cloth or with a cloth wrung out in water containing dish-washing liquid. Afterwards, wipe the surface with a clean, dry cloth to avoid stripes or blotches.

Finishes

- Frame - silver, white or black
- Worksurfaces - BOF range inc. beech, stone oak, verade oak, light grey, black & white



Sustainable Data

- FSC Certified board
- Minimal components
- Durable - made to last

Environmental sustainability is at the heart of our business. Zero waste to landfill is a critical component of our comprehensive future plan. For additional information please email closingtheloop@bof.co.uk