



New

PRO/SERIES

UNO TABLE SYSTEM

bof.co.uk

A flexible table system available in a variety of sizes and heights, supporting the introduction of biophilic design elements into the workspace - further enhance with the latest power and technology.

bof[®]



Table with canopy

Code	Table H	H	W	D
RSE UNO-OTT-DFRAME1412 + ABO UNO-OTT-DTOP1412	740	1915	1400	1200
RSE UNO-OTT-DFRAME1612 + ABO UNO-OTT-DTOP1612	740	1915	1600	1200
RSE UNO-OTT-DFRAME1812 + ABO UNO-OTT-DTOP1812	740	1915	1800	1200
RSE UNO-OTT-DFRAME2012+ ABO UNO-OTT-DTOP2012	740	1915	2000	1200



Table with canopy - 2 piece top

Code	Table H	H	W	D
RSE UNO-OTT-IS-DFRAME2412 + ABO UNO-OTT-IS-DTOP2412	740	1915	2400	1200
RSE UNO-OTT-IS-DFRAME3212 + ABO UNO-OTT-IS-DTOP3212	740	1915	3200	1200
RSE UNO-OTT-IS-DFRAME3612 + ABO UNO-OTT-IS-DTOP3612	740	1915	3600	1200
RSE UNO-OTT-IS-DFRAME4012 + ABO UNO-OTT-IS-DTOP4012	740	1915	4000	1200

Power Options

Code	Description
OEL 2434430	Pixel socket, A+C USB in white for D800mm
OEL 2434232	Pixel socket, A+C USB in black for D800mm
OEL 2469203	Pandora 2 sockets, A+C USB in white
OEL 2469180	Pandora 2 sockets, A+C USB in black
2513203	2m Starter cable lead
2513401	4m Starter cable lead
RSE TB-TIM-FAB-CR	Standard grey fabric cable riser
RSE SP-SP1-FCR-0925	Poseur fabric grey cable riser
RSE PN2-GROM-KIT	Canopy grommet kit 4 pack



Pixel



Pandora



Canopy grommets

Power options suitable for canopy, standard and poseur height tables

Key Features

- **A NEW addition to our HARMONY Collection**
- Steel frame and beams for greater lateral stability
- 200mm worksurface overhang at each end
- Standard worksurfaces - 25mm MFC, square edge
- Optional extra worksurface - 18mm melamine with chamfered edge and radius corners
- Larger tables come with an unobtrusive inset central leg, maximising seating space - not 800 deep
- Optional extras include; planters, lighting, fabric cable risers, integrated power
- Standard frame - silver, white or black
- Optional extra frame colours - green/blue, reed green, steel bronze 2, copper brown, wine red, stone grey



Poser height with canopy

Code	Table H	H	W	D
RSE UNO-OTT-PFRAME1412 + ABO UNO-OTT-PTOP1412	1100	1915	1400	1200
RSE UNO-OTT-PFRAME1612+ ABO UNO-OTT-PTOP1612	1100	1915	1600	1200
RSE UNO-OTT-PFRAME1812+ ABO UNO-OTT-PTOP1812	1100	1915	1800	1200
RSE UNO-OTT-PFRAME2012+ ABO UNO-OTT-PTO P2012	1100	1915	2000	1200



Poseur height with canopy - 2 piece top

Code	Table H	H	W	D
RSE UNO-OTT-IS-PFRAME2412 + ABO UNO-OTT-IS-PTOP2412	1100	1915	2400	1200
RSE UNO-OTT-IS-PFRAME3212+ ABO UNO-OTT-IS-PTOP3212	1100	1915	3200	1200
RSE UNO-OTT-IS-PFRAME3612+ ABO UNO-OTT-IS-PTOP3612	1100	1915	3600	1200
RSE UNO-OTT-IS-PFRAME4012 + ABO UNO-OTT-IS-PTOP4012	1100	1915	4000	1200

Canopy Table Accessories

Planter and Pendant Light Accessories

Code	Description
SPL-UNO-TR-PLNT	Trailing artificial plants, priced per meter includes cable ties
SPL-UNO-HG-PLNT	Hanging artificial plants, includes jute hanger, black or white pot - please specify when ordering
RSE PN2-OTT-PLANTER	Canopy metal planter box with plastic liner, box available in all frame colours - specify when ordering
SPL-UNO-BX-PLNT	Planter box artificial plants, supply priced only, installation POA
	Pendant hanging light - call for options, indicative image below 01656 661061 or email sales@bof.co.uk

Frequently specified products shown - please call for alternative options on 01656 661061



Mesh tray with hanging plant

Standard Height Tables



Code	H	W	D
RSE UNO-DFRAME1480 + ABO UNO-DTOP1480	740	1400	800
RSE UNO-DFRAME1680 + ABO UNO-DTOP1680	740	1600	800
RSE UNO-DFRAME1880 + ABO UNO-DTOP1880	740	1800	800
RSE UNO-DFRAME1412 + ABO UNO-DTOP1412	740	1400	1200
RSE UNO-DFRAME1612 + ABO UNO-DTOP1612	740	1600	1200
RSE UNO-DFRAME1812 + ABO UNO-DTOP1812	740	1800	1200
RSE UNO-DFRAME2012 + ABO UNO-DTOP2012	740	2000	1200

Bench Seat



Code	H	W	D	Band B	Band C	Band D
RSE UNO-SFRAME1235 + SWEK-PN-1235	455	1200	350	POA	POA	POA
RSE UNO-SFRAME1435 + SWEK-PN-1435	455	1400	350	POA	POA	POA
RSE UNO-SFRAME1635 + SWEK-PN-1635	455	1600	350	POA	POA	POA

Band B - Rivet and Era
 Band C - Xtreme, Canopy, Main Line Plus, Quest
 Band D - Main Line Flax, Blazer, synergy, Oceanic, Vita, Main Line Twist, Sumi



2 piece top

Code	H	W	D
RSE UNO-IS-DFRAME2480 + ABO UNO-IS-DTOP2480	740	2400	800
RSE UNO-IS-DFRAME2880 + ABO UNO-IS-DTOP2880	740	2800	800
RSE UNO-IS-DFRAME3280 + ABO UNO-IS-DTOP3280	740	3200	800
RSE UNO-IS-DFRAME3680 + ABO UNO-IS-DTOP3680	740	3600	800
RSE UNO-IS-DFRAME4080 + ABO UNO-IS-DTOP4080	740	4000	800
RSE UNO-IS-DFRAME2412 + ABO UNO-IS-DTOP2412	740	2400	1200
RSE UNO-IS-DFRAME2812 + ABO UNO-IS-DTOP2812	740	2800	1200
RSE UNO-IS-DFRAME3212 + ABO UNO-IS-DTOP3212	740	3200	1200
RSE UNO-IS-DFRAME3612 + ABO UNO-IS-DTOP3612	740	3600	1200
RSE UNO-IS-DFRAME4012 + ABO UNO-IS-DTOP4012	740	4000	1200

Inset let is not available on 800mm deep tables

We are a creative, passionate team of experts with a wealth of experience in the furniture industry.

Poseur Height Tables



Code	H	W	D
RSE UNO-PFRAME1480 + ABO UNO-PTOP1480	1100	1400	800
RSE UNO-PFRAME1680 + ABO UNO-PTOP1680	1100	1600	800
RSE UNO-PFRAME1880 + ABO UNO-PTOP1880	1100	1800	800
RSE UNO-PFRAME1412 + ABO UNO-PTOP1412	1100	1400	1200
RSE UNO-PFRAME1612 + ABO UNO-PTOP1612	1100	1600	1200
RSE UNO-PFRAME1812 + ABO UNO-PTOP1812	1100	1800	1200
RSE UNO-PFRAME2012 + ABO UNO-PTOP2012	1100	2000	1200



2 piece top

Code	H	W	D	Price
RSE UNO-IS-PFRAME2480 + ABO UNO-IS-PTOP2480	1100	2400	800	£1406
RSE UNO-IS-PFRAME2880 + ABO UNO-IS-PTOP2880	1100	2800	800	£1437
RSE UNO-IS-PFRAME3280 + ABO UNO-IS-PTOP3280	1100	3200	800	£1720
RSE UNO-IS-PFRAME3680 + ABO UNO-IS-PTOP3680	1100	3600	800	£1790
RSE UNO-IS-PFRAME4080 + ABO UNO-IS-PTOP4080	1100	4000	800	£1901
RSE UNO-IS-PFRAME2412 + ABO UNO-IS-PTOP2412	1100	2400	1200	£1522
RSE UNO-IS-PFRAME2812 + ABO UNO-IS-PTOP2812	1100	2800	1200	£1576
RSE UNO-IS-PFRAME3212 + ABO UNO-IS-PTOP3212	1100	3200	1200	£1874
RSE UNO-IS-PFRAME3612 + ABO UNO-IS-PTOP3612	1100	3600	1200	£1936
RSE UNO-IS-PFRAME4012 + ABO UNO-IS-PTOP4012	1100	4000	1200	£2078

Inset let is not available on 800mm deep tables



Mobile Tables with Castors



Mobile Table

Code	H	W	D
RSE UNO-DFRAME1480M + ABO UNO-DTOP1480	740	1400	800
RSE UNO-DFRAME1680M + ABO UNO-DTOP1680	740	1600	800
RSE UNO-DFRAME1880M + ABO UNO-DTOP1880	740	1800	800
RSE UNO-DFRAME1412M + ABO UNO-DTOP1412	740	1400	1200
RSE UNO-DFRAME1612M + ABO UNO-DTOP1612	740	1600	1200
RSE UNO-DFRAME1812M + ABO UNO-DTOP1812	740	1800	1200
RSE UNO-DFRAME2012M + ABO UNO-DTOP2012	740	2000	1200



Mobile Poseur height table

Code	H	W	D
RSE UNO-PFRAME1480 + ABO UNO-PTOP1480M	1100	1400	800
RSE UNO-PFRAME1680M + ABO UNO-PTOP1680	1100	1600	800
RSE UNO-PFRAME1880M + ABO UNO-PTOP1880	1100	1800	800
RSE UNO-PFRAME1412M + ABO UNO-PTOP1412	1100	1400	1200
RSE UNO-PFRAME1612M + ABO UNO-PTOP1612	1100	1600	1200
RSE UNO-PFRAME1812M + ABO UNO-PTOP1812	1100	1800	1200
RSE UNO-PFRAME2012M + ABO UNO-PTOP2012	1100	2000	1200



Mobile Table - 2 piece top

Code	H	W	D
RSE UNO-IS-DFRAME2480M + ABO UNO-IS-DTOP2480	740	2400	800
RSE UNO-IS-DFRAME2880M + ABO UNO-IS-DTOP2880	740	2800	800
RSE UNO-IS-DFRAME3280M + ABO UNO-IS-DTOP3280	740	3200	800
RSE UNO-IS-DFRAME3680M + ABO UNO-IS-DTOP3680	740	3600	800
RSE UNO-IS-DFRAME4080M + ABO UNO-IS-DTOP4080	740	4000	800
RSE UNO-IS-DFRAME2412M + ABO UNO-IS-DTOP2412	740	2400	1200
RSE UNO-IS-DFRAME2812M + ABO UNO-IS-DTOP2812	740	2800	1200
RSE UNO-IS-DFRAME3212M + ABO UNO-IS-DTOP3212M	740	3200	1200
RSE UNO-IS-DFRAME3612M + ABO UNO-IS-DTOP3612	740	3600	1200
RSE UNO-IS-DFRAME4012M + ABO UNO-IS-DTOP4012	740	4000	1200

Inset let is not available on 800mm deep tables



Mobile Poseur height table - 2 piece top

Code	H	W	D
RSE UNO-IS-PFRAME2480M + ABO UNO-IS-PTOP2480	1100	2400	800
RSE UNO-IS-PFRAME2880M + ABO UNO-IS-PTOP2880	1100	2800	800
RSE UNO-IS-PFRAME3280M + ABO UNO-IS-PTOP3280	1100	3200	800
RSE UNO-IS-PFRAME3680M + ABO UNO-IS-PTOP3680	1100	3600	800
RSE UNO-IS-PFRAME4080M + ABO UNO-IS-PTOP4080	1100	4000	800
RSE UNO-IS-PFRAME2412M + ABO UNO-IS-PTOP2412	1100	2400	1200
RSE UNO-IS-PFRAME2812M + ABO UNO-IS-PTOP2812	1100	2800	1200
RSE UNO-IS-PFRAME3212M + ABO UNO-IS-PTOP3212	1100	3200	1200
RSE UNO-IS-PFRAME3612M + ABO UNO-IS-PTOP3612	1100	3600	1200
RSE UNO-IS-PFRAME4012M + ABO UNO-IS-PTOP4012	1100	4000	1200

Inset let is not available on 800mm deep tables

Product | Business Certifications

- ISO 9001
- ISO 14001
- ISO 45001
- FSC
- FISP
- Construction Line Gold
- Club Green

Warranty

5 years

Maintenance

Worksurface and metal work day-to-day cleaning.

Wipe with a clean, dry cloth or with a cloth wrung out in water containing dish-washing liquid. Afterwards, wipe the surface with a clean, dry cloth to avoid stripes or blotches.

Finishes

- Worksurfaces - BOF range inc. beech, oak, walnut, white, black or grey
- Lockable castors - black
- Frame - silver, white or black standard
- Optional extra frame colours - green/blue, reed green, steel bronze 2, copper brown, wine red, stone grey



HARMONY
COLLECTION



Sustainable Data

- FSC Certified board
- Minimal components
- Durable - made to last

Environmental sustainability is at the heart of our business. Zero waste to landfill is a critical component of our comprehensive future plan. For additional information please email closingtheloop@bof.co.uk

sustainable
workspaces | bof[®]