

New



WORK-WELL TABLES

Innovative tables which can incorporate technology for active collaboration and can be supported by mobile castors. Allowing teams to work effectively around a shared screen.



Height Adjustable

Code	H	W	D
ABO WW-RTOP1285 HA + RSE WW-RFRAME850SS	695-1195	1200	850
ABO WW-RTOP1485 HA + RSE WW-RFRAME850SS	695-1195	1400	850
ABO WW-RTOP1685 HA + RSE WW-RFRAME850SS	695-1195	1600	850
ABO WW-RTOP1885 HA + RSE WW-RFRAME850SS	695-1195	1800	850
ABO WW-RTOP12125 HA + RSE WW-RFRAME1250SS	695-1195	1200	1250
ABO WW-RTOP18125 HA + RSE WW-RFRAME1250SS	695-1195	1800	1250
ABO WW-RTOP20125 HA + RSE WW-RFRAME1250SS	695-1195	2000	1250



Height Adjustable with castors

Code	H	W	D
ABO WW-RTOP1285 HA + RSE WW-RFRAME850SSM	695-1195	1200	850
ABO WW-RTOP1485 HA + RSE WW-RFRAME850SSM	695-1195	1400	850
ABO WW-RTOP1685 HA + RSE WW-RFRAME850SSM	695-1195	1600	850
ABO WW-RTOP1885 HA + RSE WW-RFRAME850SSM	695-1195	1800	850
ABO WW-RTOP12125 HA + RSE WW-RFRAME1250SSM	695-1195	1200	1250
ABO WW-RTOP18125 HA + RSE WW-RFRAME1250SSM	695-1195	1800	1250
ABO WW-RTOP20125 HA + RSE WW-RFRAME1250SSM	695-1195	2000	1250

Integrated
power
available

Accessories

Code	Description
OEL 2434430	Pixel 1 x socket, A+C USB in white for 800mm deep
OEL 2434232	Pixel 1 x socket, A+C USB in black for 800mm deep
OEL 2469203	Pandora 2 sockets, A+C USB in white
OEL 2469180	Pandora 2 sockets, A+C USB in black
SS-EDLT-CT-10	Single cable tray - to suit table length 1000mm
SS-EDLT-CT-12-18	Single cable tray - to suit table length 12-1800mm
SS-EDLT-CT-18	Single cable tray - to suit table length 1800mm
2513203	2m Starter cable lead
2513401	4m Starter cable lead
RSE TB-TIM-FAB-CR	Standard fabric cable riser - light or dark grey
SSEV-BATT-PACK-KIT	Rechargeable battery pack (untethered working)

Key Features

- A **NEW** addition to our **HARMONY** Collection
- Highly versatile tables
- Sit stand frame is telescopic
- Intermediate leg included on larger tables
- 25mm MFC worksurface
- Optional extras include, mobile lockable castors, cable management, integrated power, anti-collision sit stand sensor, sit stand rechargeable battery pack for un-tethered working
- Frame in silver, white or black



Static tables with intermediate leg

Code	H	W	D
ABO WW-RTOP2412 + RSE WW-RFRAME2412INT	740	2400	1200
ABO WW-RTOP2812 INT + RSE WW-RFRAME2812INT	740	2800	1200
ABO WW-RTOP3212 INT + RSE WW-RFRAME3212INT	740	3200	1200
ABO WW-RTOP3612 INT + RSE WW-RFRAME3612INT	740	3600	1200



Static tables

Code	H	W	D
ABO WW-SQTOP8080 + RSE WW-SQFRAME88	740	800	800
ABO WW-RTOP1060 + RSE WW-RFRAME106	740	1000	600
ABO WW-RTOP1260 + RSE WW-RFRAME126	740	1200	600
ABO WW-RTOP1460 + RSE WW-RFRAME146	740	1400	600
ABO WW-RTOP1660 + RSE WW-RFRAME166	740	1600	600
ABO WW-RTOP1860 + SE WW-RFRAME186	740	1800	600
ABO WW-RTOP1080 + RSE WW-RFRAME108	740	1000	800
ABO WW-RTOP1280 + RSE WW-RFRAME128	740	1200	800
ABO WW-RTOP1480 + RSE WW-RFRAME148	740	1400	800
ABO WW-RTOP1680 + RSE WW-RFRAME168	740	1600	800
ABO WW-RTOP1880 + RSE WW-RFRAME188	740	1800	800
ABO WW-SQTOP1010 + RSE WW-SQFRAME1010	740	1000	1000
ABO WW-SQTOP1212 + RSE WW-SQFRAME1212	740	1200	1200
ABO WW-RTOP1612 + RSE WW-RFRAME1612	740	1600	1200
ABO WW-RTOP2012 + RSE WW-RFRAME2012	740	2000	1200



Mobile castor tables

Code	H	W	D
ABO WW-SQTOP8080 + RSE WW-SQFRAME88 M	740	800	800
ABO WW-RTOP1060 + RSE WW-RFRAME106M	740	1000	600
ABO WW-RTOP1260 + RSE WW-RFRAME126M	740	1200	600
ABO WW-RTOP1460 + RSE WW-RFRAME146M	740	1400	600
ABO WW-RTOP1660 + RSE WW-RFRAME166M	740	1600	600
ABO WW-RTOP1860 + SE WW-RFRAME186M	740	1800	600
ABO WW-RTOP1080 + RSE WW-RFRAME108M	740	1000	800
ABO WW-RTOP1280 + RSE WW-RFRAME128M	740	1200	800
ABO WW-RTOP1480 + RSE WW-RFRAME148M	740	1400	800
ABO WW-RTOP1680 + RSE WW-RFRAME168M	740	1600	800
ABO WW-RTOP1880 + RSE WW-RFRAME188M	740	1800	800
ABO WW-SQTOP1010 + RSE WW-SQFRAME1010M	740	1000	1000
ABO WW-SQTOP1212 + RSE WW-SQFRAME1212M	740	1200	1200
ABO WW-RTOP1612 + RSE WW-RFRAME1612M	740	1600	1200
ABO WW-RTOP2012 + RSE WW-RFRAME2012M	740	2000	1200

Frequently specified products shown - please call for alternative options on 01656 661061



Product | Business Certifications

- ISO 9001
- ISO 14001
- FSC
- FISP
- Club Green
- Construction Line Gold

Warranty

5 years

Maintenance

Worksurface - day-to-day cleaning, wipe with a clean, dry cloth or with a cloth wrung out in water containing dish-washing liquid. Afterwards, wipe the surface with a clean, dry cloth to avoid stripes or blotches.

Finishes

- Worksurfaces - BOF range inc. beech, stone oak, niagara oak, light grey, black & white
- Lockable castors - black
- Frame - silver, white or black



HARMONY
COLLECTION



Sustainable Data

- FSC Certified board
- Minimal components
- Durable - made to last

Environmental sustainability is at the heart of our business. Zero waste to landfill is a critical component of our comprehensive future plan. For additional information please email closingtheloop@bof.co.uk

sustainable
workspaces | **bof**[®]